

## Refine Search

### Search Results -

Terms	Documents
(username or password) and L113	36

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L114

Refine Search

Recall Text 

Clear

Interrupt

### Search History

DATE: Monday, January 14, 2008    [Purge Queries](#)    [Printable Copy](#)    [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L114</u>	(username or password) and L113	36	<u>L114</u>
<u>L113</u>	snmp and L112	215	<u>L113</u>
<u>L112</u>	(manag\$6 near information near base or mib near object) and (getnext or getbulk or snmp near get near (message or request))	219	<u>L112</u>
<u>L111</u>	@pd<20030929 and L110	33	<u>L111</u>
<u>L110</u>	((error or correct\$4 or fail\$3) near (manag\$6 near object))	56	<u>L110</u>
<u>L109</u>	(query or request) same ((error or correct\$4 or fail\$3) near (manag\$6 near object))	9	<u>L109</u>
<u>L108</u>	management near (query or request) same ((error or correct\$4 or fail\$3) near (manag\$6 near object))	1	<u>L108</u>
<u>L107</u>	management near (query or request) same ((compar\$4 or test\$3 or determin\$3) near (error or correct\$4 or fail\$3))	14	<u>L107</u>
<u>L106</u>	6757901.pn.	2	<u>L106</u>

<u>L105</u>	L103 and L104	48	<u>L105</u>
<u>L104</u>	(determin\$3 or match\$3 or compar\$5) near(attribute or field or password or username)	60315	<u>L104</u>
<u>L103</u>	snmp near (object or mib) and L101	475	<u>L103</u>
<u>L102</u>	varbind and L101	29	<u>L102</u>
<u>L101</u>	L96 or L97 or L98 or L99 or L100	90110	<u>L101</u>
<u>L100</u>	(726/23  726/24  726/25  726/26  726/27).ccls.	3679	<u>L100</u>
<u>L99</u>	(719/311).ccls.	178	<u>L99</u>
<u>L98</u>	(713/164  713/165  713/166  713/167  713/168  713/169  713/170  713/171  713/172  713/173  713/174  713/175  713/176  713/177  713/178  713/179).ccls.	8758	<u>L98</u>
<u>L97</u>	(709/201  709/202  709/203  709/204  709/205  709/206  709/207  709/217  709/218  709/219  709/223  709/224  709/225  709/226).ccls.	39958	<u>L97</u>
<u>L96</u>	(707/1  707/2  707/3  707/4  707/5  707/6  707/7  707/8  707/9  707/10  707/100  707/101  707/102  707/103R  707/103Y  707/103X  707/103Z  707/104.1).ccls.	42847	<u>L96</u>
<u>L95</u>	@pd<20030929 and L94	58	<u>L95</u>
<u>L94</u>	(securuity or authenticat\$3) and L92	128	<u>L94</u>
<u>L93</u>	get\$bulk and L92	0	<u>L93</u>
<u>L92</u>	snmp near object and L91	143	<u>L92</u>
<u>L91</u>	(ssh or tftp or rcp or tacacs or radius)	696148	<u>L91</u>
<u>L90</u>	(ssh or tftp or rcp or snmp or tacacs or radius)	706373	<u>L90</u>
<u>L89</u>	verif\$6 with snmp near object	3	<u>L89</u>
<u>L88</u>	verif\$6 near snmp near object	0	<u>L88</u>
	<i>DB=USPT; PLUR=YES; OP=OR</i>		
<u>L87</u>	'6765900'.pn.	1	<u>L87</u>
<u>L86</u>	'6772226'.pn.	1	<u>L86</u>
<u>L85</u>	'6785728'.pn.	1	<u>L85</u>
<u>L84</u>	'6944183'.pn.	1	<u>L84</u>
	<i>DB=PGPB; PLUR=YES; OP=OR</i>		
<u>L83</u>	'20020099273'.pn.	1	<u>L83</u>
<u>L82</u>	'20030061480'.pn.	1	<u>L82</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L81</u>	snmp near (request or message) and L80	37	<u>L81</u>
<u>L80</u>	(snmp near (version or v\$1) near (1 or 2 or 3))	81	<u>L80</u>
	<i>DB=USPT; PLUR=YES; OP=OR</i>		
<u>L79</u>	'6539540'.pn.	1	<u>L79</u>
<u>L78</u>	'6539540'.pn.	1	<u>L78</u>
<u>L77</u>	'6631406'.pn.	1	<u>L77</u>
<u>L76</u>	'6631406'.pn.	1	<u>L76</u>
<u>L75</u>	'6631406'.pn.	1	<u>L75</u>
<u>L74</u>	'6671722'.pn.	1	<u>L74</u>

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR*

<u>L73</u>	varbind near request	1	<u>L73</u>
<u>L72</u>	(telnet and ssh and tftp and rcp and snmp and tacacs and radius)	1	<u>L72</u>
<u>L71</u>	snmp adj object and (telnet and ssh and tftp and rcp and snmp and tacacs and radius)	0	<u>L71</u>
<u>L70</u>	snmp adj object and L69	29	<u>L70</u>
<u>L69</u>	((attribute or username or password) near (telnet or ssh or tftp or rcp or snmp or tacacs radius))	391	<u>L69</u>
<u>L68</u>	(authenticate) near (managed adj (object or device) or management adj station)	5	<u>L68</u>
<u>L67</u>	(username and password) with (managed adj (object or device) or management adj station)	18	<u>L67</u>
<u>L66</u>	(username and password) near (managed adj (object or device) or management adj station)	0	<u>L66</u>

*DB=USPT; PLUR=YES; OP=OR*

<u>L65</u>	'5559958'.pn.	1	<u>L65</u>
<u>L64</u>	'5559958'.pn.	1	<u>L64</u>
<u>L63</u>	'5561798'.pn.	1	<u>L63</u>

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR*

<u>L62</u>	(correct or propos\$3) near value with managed adj object	3	<u>L62</u>
<u>L61</u>	propos\$3 near value with managed adj object	1	<u>L61</u>
<u>L60</u>	(security or verif\$6 or password or username) near (managed adj (object or device) or management adj station)	58	<u>L60</u>
<u>L59</u>	((compar\$4 or match\$3 or determin\$3) near (security or verif\$6 or password or username)) with (managed adj (object or device) or management adj station)	18	<u>L59</u>
<u>L58</u>	((compar\$4 or match\$3 or determin\$3) near (error or fail\$3 or fault or problem)) with (managed adj device or management adj station)	7	<u>L58</u>
<u>L57</u>	((managed adj device or management adj station) with (notif\$7 near (message or request)))	21	<u>L57</u>

*DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR*

<u>L56</u>	PUTTU!	1	<u>L56</u>
<u>L55</u>	PUTTV!	46	<u>L55</u>
<u>L54</u>	KOUNDEDE!	1	<u>L54</u>

*DB=USPT; PLUR=YES; OP=OR*

<u>L53</u>	'5317742'.pn.	1	<u>L53</u>
<u>L52</u>	'5432932'.pn.	1	<u>L52</u>
<u>L51</u>	'5434863'.pn.	1	<u>L51</u>
<u>L50</u>	'5491796'.pn.	1	<u>L50</u>
<u>L49</u>	'5497373'.pn.	1	<u>L49</u>

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR*

<u>L48</u>	(get\$1next or get\$1bulk) and L46	29	<u>L48</u>
<u>L47</u>	snmp near object and L46	35	<u>L47</u>

<u>L46</u>	((valid\$5 or verif\$6) near (attribute or field or password or username))	13014	<u>L46</u>
<u>L45</u>	get\$1next and get\$1bulk	46	<u>L45</u>
<u>L44</u>	6085237.pn.	2	<u>L44</u>
<u>L43</u>	@pd<20030929 and L42	51	<u>L43</u>
<u>L42</u>	mib and (username or password or security) near (attribute or field or value)	112	<u>L42</u>
<u>L41</u>	@pd<20030929 and L40	87	<u>L41</u>
<u>L40</u>	L38 and L39	159	<u>L40</u>
<u>L39</u>	((determin\$3 or compar\$4 or match\$3) near (attribute or field or value))	455681	<u>L39</u>
<u>L38</u>	manag\$5 adj object and (username or password or security) near (attribute or field or value)	284	<u>L38</u>
<u>L37</u>	management near request and (attribute or field or value) near (managed adj object)	32	<u>L37</u>
<u>L36</u>	management near request and (username or password or security) near (managed adj object)	0	<u>L36</u>
<u>L35</u>	managed adj object and L34	6	<u>L35</u>
<u>L34</u>	(determin\$3 or compar\$4) near (username or password or security) near (attribute or field or value)	217	<u>L34</u>
<u>L33</u>	(username or password or security) near (match\$3 or correspond\$3) with managed adj object	17	<u>L33</u>
<u>L32</u>	(username or password or securtiy) near (match\$3 or correspond\$3) with managed adj object	16	<u>L32</u>
<u>L31</u>	(attribute or field or value) near (match\$3 or correspond\$3) with managed adj object	10	<u>L31</u>
<u>L30</u>	((determin\$3 or compar\$4) near (attribute or field or value)) with ((match\$3 or correspond\$3) near managed adj object)	0	<u>L30</u>
<u>L29</u>	5737518.pn.	2	<u>L29</u>
<u>L28</u>	57375718.pn.	0	<u>L28</u>
<u>L27</u>	((mib or snmp or managed) near object) near2 (password or credential or username or security)	34	<u>L27</u>
<u>L26</u>	((mib or snmp or managed) near object) near (value or attribute)) same (password or credential or username or security)	9	<u>L26</u>
<u>L25</u>	((snmp or get) near (request or message or call)) or getnext or getbulk) and L23	56	<u>L25</u>
<u>L24</u>	((snmp or get) near (request or message or call)) or getnext or getbulk and L23	13236	<u>L24</u>
<u>L23</u>	index with notif\$7	2302	<u>L23</u>
<u>L22</u>	((look\$1up or search\$3 or find\$3 or determin\$5) near (password or credential or username or security)) same ((mib or snmp or managed) near object)	0	<u>L22</u>
<u>L21</u>	((password or credential or username or security) near (((mib or snmp or managed) near object)))	29	<u>L21</u>
<u>L20</u>	((password or credential or username or security) near (value or ((mib or snmp or managed) near object)))	3510	<u>L20</u>
<u>L19</u>	@pd<20030929 and L18	24	<u>L19</u>
<u>L18</u>	((SNMP or Get) near Response) same (password or credential or username or security)	113	<u>L18</u>

<u>L17</u>	snmp and L16	45	<u>L17</u>
<u>L16</u>	((SNMP or Get) near Response) same notif\$7	134	<u>L16</u>
<u>L15</u>	L14	36	<u>L15</u>
<u>L14</u>	SNMP near (Get near Response) samenotif\$7	36	<u>L14</u>
<u>L13</u>	SNMP near (Get near Response) with notif\$7	1	<u>L13</u>
<u>L12</u>	snmp and L11	117	<u>L12</u>
<u>L11</u>	@pd<20030929 and L10	227	<u>L11</u>
	((snmp or get) near (request or message or call)) or getnext or getbulk) same		
<u>L10</u>	((password or user near credential or username or security near credential) or (((mib or snmp or managed) near object)))	756	<u>L10</u>
	((snmp or get) near (request or message or call)) or getnext or getbulk) same		
<u>L9</u>	((password or credential or username or security) near (value or ((mib or snmp or managed) near object)))	2	<u>L9</u>
<u>L8</u>	@pd<20030929 and L7	61	<u>L8</u>
<u>L7</u>	((snmp or get) near (request or message or call)) with (match\$3 or determin\$5 or compar\$4)) same (value or ((mib or snmp) near object))	155	<u>L7</u>
<u>L6</u>	(manag\$6 near information near base or mib near object) same (acl or access adj control adj list)	4	<u>L6</u>
<u>L5</u>	(manag\$6 near information near base or mib near object) same (password or username or user near credential)	31	<u>L5</u>
<u>L4</u>	(manag\$6 near information near base or mib near object) with (password or username or user near credential or security near (data or information))	16	<u>L4</u>
<u>L3</u>	(snmp or mib near object or (get near (message or request))) and L2	74	<u>L3</u>
<u>L2</u>	notif\$7 with index	2302	<u>L2</u>
<u>L1</u>	20050251569	2	<u>L1</u>

END OF SEARCH HISTORY